

Additional File 1.

Species encountered and used on Mt. Nyiru. Indigenous names by Heine et al. [43] in parenthesis if differing from names found in this study

Family/Genus	Species	Indigenous name	Use	Collection #
ACANTHACEAE				
<i>Acanthopale</i>	<i>pubescens</i> C.B. Clarke	Ltikilte (Ltikeinte)	no use	K2067
<i>Crossandra</i>	<i>massaica</i> Mildbr.	Segeet	no use	BY323
<i>Dicliptera</i>	<i>laxata</i> C.B. Clarke	Moten	1. bees, 2. for mattresses	K2068
<i>Dyschoriste</i>	<i>colorata</i> C.B. Clarke	Moten	1. bees, 2. for mattresses	BU9786
<i>Dyschoriste</i>	<i>radicans</i> Nees	Moten	1. bees, 2. for mattresses	BY189
<i>Hypoestes</i>	<i>forskahlii</i> (Vahl) R. Br.	Segeet , Maasai	1. eaten by animals and rarely by livestock, 2. bees	BY269; K2001
<i>Hypoestes</i>	<i>triflora</i> (Forssk.) Roem. & Schult.	Maasai	1. eaten by animals and rarely by livestock, 2. bees	BY210; K2076
<i>Isoglossa</i>	<i>gregorii</i> (S. Moore) Lindau	Siaiti	1. eaten by livestock	BY58; K2069
<i>Justicia</i>	<i>glabra</i> Koen. ex Roxb.	Segeet	1. eaten by livestock, 2. for mattresses	BY312
<i>Justicia</i>	<i>lorata</i> Ensermu	Segeet (Segheet)	1. bees, 2. eaten by livestock, 3. worn as necklace for good smell, 4. for mattresses	BY341, 350
<i>Justicia</i>	<i>striata</i> (Kl.) Bullock	Segeet	1. eaten by livestock, 2. for mattresses	BUSR
<i>Thunbergia</i>	<i>alata</i> Bojer ex Sims	Dakat (Sapau)	no use	BY258; K2090
ACTINIOPTERIDACEAE				
<i>Actinopterys</i>	<i>semiflabellata</i> Pic. Serm.	Mboroiyo (Poroo)	no use	BY344
ADIANTACEAE				
<i>Adiantum</i>	<i>capillus-veneris</i> L.	Mboroiyo (Loigeigero)	no use	AR689; BY314; C0.151; G5209
<i>Adiantum</i>	<i>poiretii</i> Wikstr.	Mboroiyeyo	no use	BY76
<i>Cheilantes</i>	<i>multifida</i> (Sw.) Sw.	Nkabariti	no use	BY253
<i>Cheilanthes</i>	<i>bergiana</i> Kuntze	Mboroiyeyo	no use	BU9811
<i>Cheilanthes</i>	<i>farinosa</i> (Forssk.) Kaulf.	Mboroiyeyo	no use	BU9809
<i>Cheilanthes</i>	<i>hirta</i> Sw.	Mboroiyeyo	no use	BU9812
<i>Cheilanthes</i>	<i>marantae</i> (L.) Domin	Mboroiyeyo	no use	C0.148
<i>Cheilanthes</i>	<i>multifida</i> (Sw.) Sw.	Mboroiyeyo	no use	BU9818; BY329,336; G5196
<i>Cheilanthes</i>	<i>tecta</i> F.M. Jarret ined.	Mboroiyeyo	no use	BU SR

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Cheilanthes</i>	<i>farinosa</i> (Forssk.) Kaulf.	Naigerigero	no use	BY252
<i>Doriopteris</i>	<i>kirkii</i> (Hook.) Alston	Mboroiyeyo	no use	BU9752
<i>Pellaea</i>	<i>adiantoides</i> (Willd.) J.Sm.	Mboroiyeyo	no use	BU9797
<i>Pellaea</i>	<i>calomelanos</i> (Sw.) Link.	Mboroiyeyo	no use	BU9822; BY339
<i>Pellaea</i>	<i>longipilosa</i> Bonap	Mboroiyeyo	no use	BY327
ALOACEAE				
<i>Aloe</i>	sp.	Sukurwoi (Sukurwoi)	1. eye problems, squeeze and put juice in eye; 2. tuberculosis, boil for soup	BY360
AMARANTHACEAE				
<i>Achyranthes</i>	<i>aspera</i> L.	Lorokare (Lorokare)	1. eaten by livestock, 2. malaria, boil leaves in water	BY44
<i>Celosia</i>	<i>anthelminthica</i> Asch.	Ladum (Letamesi)	1. eaten by camels	K2024
<i>Celosia</i>	<i>schweinfurthiana</i> Schinz.	Ladum (Letamesi)	1. eaten by camels	BY309
<i>Cyathula</i>	<i>polycephala</i> Baker	Sulubei	1. eaten by animals and rarely by livestock	BY66
<i>Pupalia</i>	<i>lappacea</i> (L.) A. Juss.	Loreperepe (Lorepirepii)	1. eaten by livestock	BY248
<i>Sericocomopsis</i>	<i>hildebrandtii</i> Schinz	Lturkan (Lturkwan, Lturkan)	1. eaten by livestock, 2. malaria, boil root and drink to make vomit, 3. stomach, crush and soak, drink to vomit	K2080
AMARYLLIDACEAE				
<i>Scadoxus</i>	<i>multiflorus</i> (Marty) Raf.	Loilei	1. eaten by animals and rarely by livestock	BY256
ANACARDIACEAE				
<i>Rhus</i>	<i>natalensis</i> Krauss	Misigiyo , Lmishkiyei (Lmiehkiyei)	1.leaves eaten by livestock, 2. fruit edible, 3. stomach, chew bark, 4. stomach children, crush leaves and root, soak in water, drink	BY278; K1948, 1949, 1950
<i>Rhus</i>	<i>ruspolii</i> Engler	Lmugurusian	1.leaves eaten by livestock, 2. fruit edible, 3. stomach, chew bark, 4. stomach children, crush leaves and root, soak in water, drink	BY276; K1945

Family/Genus	Species	Indigenous name	Use	Collection #
APIACEAE				
<i>Alepidea</i>	<i>peduncularis</i> A. Rich.	Lokowadii	no use	A539; AR688; BY206; C0.125; K2064
<i>Anthriscus</i>	<i>sylvestris</i> (L.) Hoffm. var. <i>sylvestris</i>	Lesirieni, Loisirieni	no use	BY209, 45
<i>Ferula</i>	<i>communis</i> L.	unknown	no use	K2026
<i>Heteromorpha</i>	<i>trifoliata</i> (H.L. Wendl.) Eckl. & Zeyh.	Lmasei (Lkunyaeni, Lkuyanoi, Lkuyeinei)	1. vegetable, boil and eat, 2. ceremonial, burn and use charcoal for protection	B21; BY291; K2027, 2028
<i>Sanicula</i>	<i>elata</i> Buch.-Ham. ex D. Don.	Loraborabi (Lerobic)	no use	BY18
<i>Torilis</i>	<i>arvensis</i> (Huds.) Link.	Laisirieni	no use	BU9784; BY264
APOCYNACEAE				
<i>Carissa</i>	<i>edulis</i> (Forssk.) Vahl.	Lamuriei (Lamuriei, Lamuriai)	1. polio, boil crushed root, drink, 2. gonorrhea, boil root, drink with milk, 3. malaria, boil crushed leaves, drink, 4. fences, 5. firewood, 6. fruit edible	K2023
ARALIACEAE				
<i>Cussonia</i>	<i>holstii</i> Engl. var. <i>holstii</i>	Guiyapiyapi (Loyapiyapi, Lbolorio, Lbolor)	1. leaves eaten by livestock, 2. strength, boil root for soup	B232; BY262; K1942
<i>Schefflera</i>	<i>volkensii</i> (Engl.) Harms	unknown	no use	BUSR
ASCLEPIADACEAE				
<i>Ceropegia</i>	<i>ballyana</i> Bullock	Garamurami	no use	BY249
<i>Ceropegia</i>	Sp	Loiyeti	no use	BY201
<i>Cynanchum</i>	<i>altiscandens</i> K. Schum.	Ilii	no use	BY263
<i>Gomphocarpus</i>	<i>fruticosus</i> (L.) W.T. Aiton	Lekule (Ltaguleti)	1. wounds, put latex on wound	BY240; K1979
<i>Pergularia</i>	<i>daemia</i> (Forssk.) Blatt. & MacOwan	unknown	no use	B33; K2021
<i>Periploca</i>	<i>linearifolia</i> Quart.-Dill. & A. Rich.	unknown	no use	K1998
<i>Secamone</i>	<i>punctulata</i> Decne	Sukurututi (Lekrra)	1. malaria, fever, boil root and drink, 2. stomach, boil root as tea, 3. infections, tuberculosis, boil root in soup	BY294, 363

Family/Genus	Species	Indigenous name	Use	Collection #
ASPARAGACEAE				
<i>Asparagus</i>	<i>africanus</i> Lam.	Lomeei (Lumei)	1. eaten by goats, 2. thread for calabashes	BY183
<i>Asparagus</i>	<i>falcatus</i> L. var. <i>ternifolius</i>	Lomei	1. eaten by goats, 2. thread for calabashes	BY270
ASPHODELACEAE				
<i>Bulbine</i>	<i>abyssinica</i> A. Rich.	Sogotiai, Kitampa	no use	BU9820; BY219, 151
ASPLENIACEAE				
<i>Asplenium</i>	<i>abyssinicum</i> Fee	Mboroiyeyo	no use	C0.149
<i>Asplenium</i>	<i>adiantum-nigrum</i> L.	Mboroiyeyo	no use	C0.133
<i>Asplenium</i>	<i>aethiopicum</i> (Burm f.) Bech.	Mboroiyeyo (Naigerigero)	no use	BU9698; BY72; C0.148; G5193
<i>Asplenium</i>	<i>elliottii</i> C.H. Wright	Mboroiyeyo (Naigerigero)	no use	BU9701; BY17A
<i>Asplenium</i>	<i>erectum</i> Willd. var. <i>usambarensis</i> (Hieron) Schelpe.	Mboroiyeyo (Naigerigero)	no use	BU9708; BY38, 251
<i>Asplenium</i>	<i>friesiorum</i> C. Chr.	Mboroyeyo	no use	BU9715; BY6, 17B; C0.144
<i>Asplenium</i>	<i>loxoscapoides</i> Baker	Mboroyeyo (Naigerigero)	no use	BU9740
<i>Asplenium</i>	<i>monanthes</i> L.	Mboroiyeyo	no use	BU9704; BY73; C0.137
<i>Asplenium</i>	<i>strangeanum</i> Pic. Serm.	Negerigero, Mboroyeyo	no use	BY250; C0.136
<i>Asplenium</i>	<i>theciferum</i> (Kunth.) Mett.	Mboroiyeyo	no use	BU9706; BY74; C0.134
<i>Asplenium</i>	<i>trichomanes</i> L.	Mboroiyeyo	no use	BU9710; Co.135; G5195
ASTERACEAE				
<i>Adenostemma</i>	<i>perrottetii</i> DC.	unknown	no use	G5210; K2056
<i>Berkheya</i>	<i>spekeana</i> Oliv.	unknown	no use	AR705
<i>Bidens</i>	<i>flagellata</i> (Sherff) Mesfin	Loriapasei	1. eaten by livestock	BY213
<i>Bidens</i>	<i>hildebrandtii</i> O. Hoffm.	Lorubat	1. eaten by livestock	BY317
<i>Bidens</i>	<i>kilimandscharica</i> (O. Hoffm.) Sherff	Lorubat	1. eaten by livestock	K2057

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Bothriocline</i>	<i>longipes</i> (Oliv. & Hiern.) N.E.Br.	Sunoni	1. eaten by livestock, 2. construction, 3. firewood, 4. fever, boil, drink and wash body, 5. strength and hygiene of babies, boil and wash, 6. malaria, boil and drink to make vomit	BY20; K2049
<i>Carduus</i>	<i>nyassanus</i> (S. Moore) R.E. Fr.	Sertet	no use	BY232
<i>Cineraria</i>	<i>deltoidea</i> Sond.	unknown	no use	K2046
<i>Conyza</i>	<i>newii</i> Oliv. & Hiern.	Lamiriruaki (Lamerrurrakii, Lamurrurrakii)	1. eaten by livestock	BY19; K2043
<i>Conyza</i>	<i>steudelii</i> Sch.-Bip. ex A. Rich.	Nasogoyo (Nasunkoyo e ldonyo)	1. eaten by livestock	BY224
<i>Conyza</i>	<i>stricta</i> Willd.	Nasogoyo, Songoyo (Nasunkoyo e ldonyo)	1. eaten by livestock	BY22, 83, 197; K2045
<i>Conyza</i>	<i>sumatrensis</i> (Retz.) E. Walker	Nasogoya Nasunkoyo e ldonyo)	1. eaten by livestock	BY225
<i>Crassocephalum</i>	<i>montuosum</i> (S. Moore) Milne-Redh.	Nasogoya (Sawaan)	no use	BUSR
<i>Dichrocephala</i>	<i>chrysanthemifolia</i> (Blume) DC.	Nasogoyo (Nypoorte)	1. eaten by livestock, 2. perfume	K2052
<i>Dichrocephala</i>	<i>integrifolia</i> (L.f.) Kuntze	Nasogoyo	1. eaten by livestock, 2. perfume	BY35
<i>Emilia</i>	<i>discifolia</i> (Oliv.) C. Jeffrey	Lukurijiji	no use	BY245; G5198; K2055
<i>Emilia</i>	<i>somalensis</i> (S. Moore) C. Jeffrey	Lukuruti	no use	BY80
<i>Gerbera</i>	<i>viridifolia</i> (DC.) Sch.-Bip.	Arapuraba	no use	BY178
<i>Gnaphalium</i>	<i>rubriflorum</i> Hilliard	Karamaite, Mutama	no use	BY226, 179
<i>Gutenbergia</i>	<i>cordifolia</i> Benth. ex Oliv.	Ludwaporo (Lodwaporo)	no use, poisonous to cattle	BY287
<i>Helichrysum</i>	<i>argyranthum</i> O. Hoffm.	Kabiranabu	no use	A564
<i>Helichrysum</i>	<i>forskahlii</i> (J.F. Gmel.) Hilliard & B.L. Burt var. <i>forskahlii</i>	Lokitegi, Sugoyo	no use	BY62,87
<i>Helichrysum</i>	<i>kilimanjari</i> Oliv.	Sulubei	1. eaten by livestock	BY26
<i>Helichrysum</i>	<i>nudifolium</i> (L.) Less. var. <i>nudifolium</i>	Lekole	no use	AR702; BY204

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Helichrysum</i>	<i>odoratissimum</i> (L.) Less.	Sulubei	1. eaten by livestock	BU9759
<i>Hirpicium</i>	<i>diffusum</i> (O. Hoffm.) Roessler	Kunyanto	no use	BY239, 362
<i>Kleinia</i>	<i>odora</i> (Forssk.) DC.	Loinwaroi (Loinwaaroi, Loinwaaro)	1. eaten by livestock, 2. root eaten	G5187
<i>Laggera</i>	<i>elatior</i> R.E. Fr.	Lamuran	no use	57
<i>Microglossa</i>	<i>pyrifolia</i> (Lam.) Kuntze	Siaiti (Somati)	1. eaten by animals and rarely by livestock	BY8; K2047
<i>Mikaniopsis</i>	<i>bambuseti</i> (R.E. Fr.) C. Jeffrey	unknown	no use	BUSR
<i>Osteospermum</i>	<i>vallantii</i> (Decne.) Norl.	unknown	no use	K2054
<i>Senecio</i>	<i>hadiensis</i> Forssk.	unknown	no use	B330
<i>Senecio</i>	<i>syringifolius</i> O. Hoffm.	Loiyeti	1. eaten by livestock	BY180
<i>Sonchus</i>	<i>afromontanus</i> R.E. Fr.	Saatia, Sweta	1. eaten by animals and rarely by livestock	BY168, 216
<i>Vernonia</i>	<i>galamensis</i> (Cass.) Less. ssp. <i>nairobiensis</i> M.G. Gilbert	Sojaa (Sojaa)	1. eye problems, squeeze juice in eye	BY196
<i>Vernonia</i>	<i>hymenolepis</i> A. Rich.	Leamarat	no use	B20; K2041
<i>Vernonia</i>	<i>syringifolia</i> O. Hoffm.	Leamarat, Siati	no use	BY169, 9
BALSAMIACEAE				
<i>Impatiens</i>	<i>hochstetteri</i> Warb.	Mosai	no use	BU9785
<i>Impatiens</i>	<i>meruensis</i> Gilg	Mosai	no use	C0.138
<i>Impatiens</i>	<i>meruensis</i> Gilg ssp. <i>septentrionalis</i> Grey-Wilson	Mosai	no use	BY51; K2082
<i>Impatiens</i>	<i>sodenii</i> Engl.	Iljesi	no use	ATG; B202; BU9783; BY325; K2083
BEGONIACEAE				
<i>Begonia</i>	sp.	unknown	no use	BY324
BERBERIDACEAE				
<i>Berberis</i>	<i>holstii</i> Engl.	unknown	no use	K1939
BORAGINACEAE				
<i>Cordia</i>	<i>monoica</i> Roxb.	Lgweita	1. eaten by livestock, 2. fruit eaten, 3. construction, fences, 4. firewood, 5. fractures, use as splint, 6. ceremonial	B26; K1938

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Cynoglossum</i>	<i>coeruleum</i> A. DC.	Loreperepe, Saali (Saali)	no use	BY41, 176
<i>Cynoglossum</i>	<i>coeruleum</i> A. DC. ssp. <i>johnstonii</i> (Baker) Verdc.	Saali	no use	K2095
<i>Lithospermum</i>	<i>afromontanum</i> Weim.	unknown	no use	K2006
BRASSICACEAE				
<i>Arabis</i>	<i>glabra</i> (L.) Bernh.	Seri	no use	BY175
<i>Cardamine</i>	<i>africana</i> L.	Losayioi (Losayioi)	no use	AR690
CAESALPINIACEAE				
<i>Chamaecrista</i>	<i>usambarensis</i> (Taub.) Standley	Dabibi	no use	A565; BY199
<i>Crotalaria</i>	<i>fascicularis</i> Polhill	unknown	no use	B28
<i>Crotalaria</i>	<i>incana</i> L. ssp. <i>purpurascens</i> (Lam.) Milne-Redh.	Sag'elg'eli, Ladarara (Letuala, Naitarrei, Ladarara)	1. strength, boil bark with tea, 2. coughs and chest pain, chew bark and spit	BY152, 265
<i>Crotalaria</i>	<i>keniensis</i> Baker f.	Lekelden	no use	K1913
<i>Crotalaria</i>	<i>lachnocarpoides</i> Engl.	Nterepirepi	no use	BY156; K1906, 1907
<i>Crotalaria</i>	<i>natalitia</i> Meisn. var. <i>natalitia</i>	Lantarara	1. strength, boil bark with tea, 2. coughs and chest pain, chew bark and spit	B132; BY274; K1914
<i>Crotalaria</i>	sp.	Lekelden	no use	BY212
<i>Pterolobium</i>	<i>stellatum</i> (Forssk.) Brenan	unknown	no use	K1935
CALLITRICHACEAE				
<i>Callitriche</i>	<i>stagnalis</i> Scop.	Maasai (Masai)	1. eaten by animals and rarely by livestock	B208; BY231
CAMPANULACEAE				
<i>Campanula</i>	<i>edulis</i> Forssk.	unknown	no use	AR695; K2097
<i>Wahlenbergia</i>	<i>abyssinica</i> (A. Rich.) Thulin ssp. <i>abyssinica</i>	Kabiranabu	no use	A541; BU9778; BY92; C0.108; K2063
<i>Wahlenbergia</i>	<i>capillacea</i> (L.f.) A.DC. ssp. <i>tenuior</i> (Engl.) Thulin	Ateptep	no use	BY93
<i>Wahlenbergia</i>	<i>lobelioides</i> (L.f.) A.DC. ssp. <i>nutabunda</i> (Guss.) Mirb.	unknown	no use	AR697
<i>Wahlenbergia</i>	<i>virgata</i> Engl.	Lamuran, Lonyori, Pesho	no use	A540; AR694; BY77

Family/Genus	Species	Indigenous name	Use	Collection #
CAPPARACEAE				
<i>Capparis</i>	<i>tomentosa</i> Lam.	Laturdei (Loturdei)	1. eaten by livestock, 2. fruit eaten, 3. wounds and burns, chew leaves and put on wound, 4. construction and fences	BY334; K1985
<i>Cleome</i>	sp.	Lkitagisii	1. eaten by livestock, 2. roots for soup, 3. eye problems, burn and put ash in eye	K2062
<i>Cleome</i>	<i>usambarica</i> Pax	Lkitagisii (Loiburke, Loiborkwe)	1. eaten by livestock, 2. roots for soup, 3. eye problems, burn and put ash in eye	BY318
<i>Crateva</i>	<i>adansonii</i> DC.	unknown	no use	K1990
<i>Gynandropsis</i>	<i>gynandra</i> (L.) Briq.	Loikat (Lasayet, Lasayyet)	1. to make containers	BY288
<i>Maerua</i>	<i>angolensis</i> DC.	Loitaakine (Loitakine)	1. eaten by livestock, 2. construction, 3. firewood, 4. wounds, chew plant and apply, 5. for containers	K1931
<i>Maerua</i>	<i>triphylla</i> A. Rich.	Loitaakine (Mulingila)	1. eaten by livestock, 2. construction, 3. firewood, 4. wounds, chew plant and apply, 5. for containers	BY345
<i>Thylachium</i>	<i>africanum</i> Lour.	unknown (Lolmugi, Sankarate)	no use	K1958
CARYOPHYLLACEAE				
<i>Cerastium</i>	<i>indicum</i> Wight & Arn.	Impian	no use	BY164; K2073
<i>Drymaria</i>	<i>cordata</i> (L.) Willd. ex Roem. & Schult.	Llokii	1. eaten by livestock	BY1; K2096
<i>Pollichia</i>	<i>campestris</i> Aiton	Iljesii (Nkaakuji)	1. eaten by livestock	BY238; K2099
<i>Silene</i>	<i>burchellii</i> Otth. ex DC.	Makarat	1. eaten by animals and rarely by livestock	A552
<i>Silene</i>	<i>macrosolen</i> Steud. ex A. Rich.	Makarat	1. eaten by animals and rarely by livestock	K2074

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Stellaria</i>	<i>sennii</i> Chiov.	Maasai (Sarepirepi)	1. eaten by animals and rarely by livestock	BY215
CELASTRACEAE				
<i>Maytenus</i>	<i>heterophylla</i> (Eckl. & Zeyh.) N. Robson	Saramunai (Sagumai)	1. eaten by livestock, 2. strength, boil for soup, 3. fruit eaten, 4. for smoking calabashes	BY279
<i>Mystroxylon</i>	<i>aethiopicum</i> (Thunb.) Loes.	Saramunai (Lodonanayyoi, Saramunai)	1. firewood, 2. construction and fences	BY319
CHENOPODIACEAE				
<i>Chenopodium</i>	<i>schraderianum</i> Schult.	Lomugulale (Lapuyagi, Lapuyaki)	no use	BY289
COMMELINACEAE				
<i>Aneilema</i>	<i>leiocuale</i> K. Schum.	Naiteteiyai (Naiteteyyai, Naiteteyyei)	1. eaten by livestock, 2. cough in children, crush and boil with milk	BUSR
<i>Commelina</i>	<i>benghalensis</i> Wall.	Naiteteiyai (Naiteteyyai, Naiteteyyei, Nkaiteteyyai)	1. eaten by livestock, 2. cough in children, crush, boil with milk	K2092
<i>Commelina</i>	<i>africana</i> L.	Naiteteiyai (Naiteteyyai, Naiteteyyei, Nkaiteteyyai)	1. eaten by livestock, 2. cough in children, crush, boil with milk	BY154
<i>Commelina</i>	<i>foliacea</i> Chiov.	Naiteteiyai (Naiteteyyai, Naiteteyyei, Nkaiteteyyai)	1. eaten by livestock, 2. cough in children, crush, boil with milk	BY36
<i>Cyanotis</i>	<i>foecunda</i> Hassk.	Naiteteiyai	1. eaten by livestock, 2. cough in children, crush, boil with milk	BU9781; BY343
COMMIPHORACEAE				
<i>Commiphora</i>	sp.	Lekawa (Lekawap)	1. toothbrush	BY247
CONVOLVULACEAE				
<i>Ipomoea</i>	<i>spathulata</i> Hallier f.	Lokitegi	1. eye problems, squeeze and put juice in eye	BY300

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Ipomoea</i>	<i>wightii</i> (Wall.) Choisy	Lagit (Lgisoyyai, Lkisoyyai, Llkiseyyai)	1. eaten by livestock	BY273
CRASSULACEAE				
<i>Crassula</i>	<i>alba</i> Forssk.	Gokudogit	no use	AR699; BY217
<i>Crassula</i>	<i>alsinoides</i> (Hook. f.) Engl.	unknown	no use	K2091
<i>Crassula</i>	<i>nodulosa</i> Schoenl. var. <i>nodulosa</i>	Loinonondero (Loinonondero)	no use	AR698; K2025
<i>Crassula</i>	<i>schimperi</i> Fisch. & C.A. Mey. ssp. <i>schimperi</i>	Lokumeki, Lorogon (Lokumeki, Lokimeki)	1. wounds, burn and put ash on wound	BY85, 243
<i>Kalanchoe</i>	<i>citrina</i> Schweinf.	unknown (Lkicein, Losisanjo)	no use	BY340, 356; K2086
<i>Kalanchoe</i>	<i>densiflora</i> Rolfe var. <i>densiflora</i>	Lekarate (Lekarate)	1. stomach, boil for soup, 2. wounds, chew and apply	BY220; K2087
CUCURBITACEAE				
<i>Coccinia</i>	<i>sp.</i>	Sogoroi (Loisirarui)	no use	BY255
<i>Gerrardanthus</i>	<i>lobatus</i> (Cogn.) C. Jeffrey	Garaurau	no use	BY307
<i>Lagenaria</i>	<i>abyssinica</i> (Hook. f.) C. Jeffrey	Lagitok (Leakitok)	1. eaten by monkeys	BY52
<i>Lagenaria</i>	<i>sp.</i>	Lagitok (Leakitok)	1. eaten by monkeys	BY355
CUPRESSACEAE				
<i>Juniperus</i>	<i>procera</i> Endl.	Tarakye, Ntarakwai (Ltarakwai)	1. eaten by livestock, 2. for mattresses, 3. chew fruit for sore throat	A393,6162; BY188
CYPERACEAE				
<i>Cyperus</i>	<i>comosipes</i> Mattf. & Kuek. ssp. <i>Comosipes</i>	Seiyei	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY257
<i>Cyperus</i>	<i>dichroostachyus</i> A. Rich.	Loperiai (Loperiai)	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY234; K1926
<i>Cyperus</i>	<i>impubes</i> Steud.	Seiyei	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY261

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Cyperus</i>	<i>niveus</i> Retz. var. <i>leucocephalus</i> (Kunth) Fossberg	Loperiai	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	K1924
<i>Cyperus</i>	<i>rigidifolius</i> Steud.	Loperai, Seiyai	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY59, 159
<i>Cyperus</i>	<i>rohlfii</i> Bieck.	Seiyai	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY342
<i>Cyperus</i>	<i>sesquiflorus</i> (Torr.) Mattf. & Kuek. ssp. <i>appendiculatus</i> (K. Schum.) Lye	Loroki	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY71
<i>Cyperus</i>	sp.	Seiyai	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY68
<i>Cyperus</i>	sp.	Seiyai	1. eaten by livestock, 2. cerem. blessing of marriage, as protect., 3. fever, boil root drink	BY160
<i>Cyperus</i>	sp.	Seiyai	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	BY246
<i>Mariscus</i>	sp.	Masuti (Lmasuuti)	1. eaten by livestock	BY177
<i>Pycrus</i>	<i>niger</i> Ruiz & Pav. ssp. <i>elegantulus</i> (Steud.) Lye.	Loperiai	1. eaten by livestock, 2. ceremonial, blessing of marriage, as protection, 3. fever, boil root and drink	K1925
<i>Schoenoxiphium</i>	<i>lehmannii</i> (Nees) Steud	Seteti (Serteet)	1. eaten by livestock	BU9819
DENNSTAEDTIACEAE				
<i>Hypolepis</i>	<i>goetzei</i> Reimers	Naigerigero	no use	C0.139

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Pteridium</i>	<i>aquilinum</i> (L.) Kuhn.	Naigerigero	no use	BY194
DIPSACACEAE				
<i>Dipsacus</i>	<i>pinnatifidus</i> A. Rich.	Lorugun	no use	AR704; BU9821; BY184; K2003
<i>Scabiosa</i>	<i>columbaria</i> L.	unknown	no use	A555; AR696; C0.123; K2075
<i>Scabiosa</i>	<i>columbaria</i> L.	unknown	no use	A555; AR696; C0.123; K2075
DRACAENACEAE				
<i>Dracaena</i>	<i>afromontana</i> Mildbr.	Lkaajo (Nkakidonit)	1. for making small containers	BY21
<i>Dracaena</i>	<i>ellenbeckiana</i> Engl.	Gokudogit (Nkakidonit)	1. for making small containers	BY358
DRYOPTERIDACEAE				
<i>Arachniodes</i>	<i>foliosa</i> (C.Chr.) Schelpe	Naigerigero	no use	C0.13
<i>Polystichum</i>	<i>fuscopaleaceum</i> Alston	Negerigero	no use	B23; BU9803, 9796; BY50; C0.147
ERICACEAE				
<i>Agauria</i>	<i>salicifolia</i> (Lam.) Oliv.	unknown	no use	K1970
<i>Erica</i>	<i>arborea</i> L.	Lemario	1. firewood	B214; BY171; C0.118; K2018
<i>Erica</i>	<i>mannii</i> (Hook. f.) Beentje ssp. <i>usambarensis</i> (Alm & T.C.E. Fr.) Beentje	Uali	1. firewood	BY187
EUPHORBIACEAE				
<i>Acalypha</i>	<i>fruticosa</i> Forssk. var. <i>euglandulosa</i> Radcl.-Sm.	Siati (Siaiti, Ibor)	1. eaten by livestock, 2. construction, 3. arrows	K1994
<i>Acalypha</i>	<i>fruticosa</i> Forssk. var. <i>fruticosa</i>	Siati (Siaiti, Ibor)	1. eaten by livestock, 2. construction, 3. arrows	B121
<i>Acalypha</i>	<i>volkensii</i> Pax	Gomei	1. eaten by livestock, 2. construction, 3. arrows	BY260; K1995
<i>Bridelia</i>	<i>micrantha</i> (Hochst.) Baill.	Loisiteti (Lapironit)	no use	I906; K1943
<i>Clutia</i>	<i>abyssinica</i> Jaub. & Spach. var. <i>abyssinica</i>	Logul	no use	B142; BY193

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Croton</i>	<i>dichogamus</i> Pax	Lakiring'ai (Lakirdenai, Loiborbene, Nkitarru, Nakayyapiyapi)	1. malaria, boil root in water, drink, 2. stomach, boil root, drink, 3. chest problems, boil root, drink, 4. firewood, 5. construction	B27
<i>Croton</i>	<i>megalocarpus</i> Hutch.	Lmargweet (Lmaragweet, Lmarakweet)	1. eaten by livestock, 2. malaria, boil root in water, drink, 3. stomach, boil root, drink, 4. chest problems, boil root, drink, 5. firewood	K1961
<i>Euphorbia</i>	<i>brevicornu</i> Pax	Lpwoi	no use	BY56
<i>Euphorbia</i>	<i>depauperata</i> A. Rich. var. <i>depauperata</i>	Lorte	no use	BY170
<i>Euphorbia</i>	<i>heterochroma</i> Pax	Lkelelit (Ncelelit)	1. malaria, fever, boil in soup, 2. gonorrhoea, boil in soup, 3. chest problems, boil as tea	BY361
<i>Euphorbia</i>	<i>nyikae</i> Pax var. <i>nyikae</i>	Loparaa	1. malaria, boil in soup, 2. wounds and burns, put latex on wound	BY359
<i>Phyllanthus</i>	<i>fischeri</i> Pax	Lokirisai	1. eaten by livestock, 2. firewood	K2017
<i>Phyllanthus</i>	<i>sepialis</i> Muell.-Arg.	Lokirisai	1. eaten by livestock, 2. firewood	B122
FABACEAE				
<i>Amphicarpa</i>	<i>africana</i> (Hook. f.) Harms	unknown	no use	K1915
<i>Argyrolobium</i>	<i>fischeri</i> Thunb.	unknown	no use	AR703; B30; C0.113
<i>Cadia</i>	<i>purpurea</i> (Picc.) Aiton	Lkigiriai (Lgigiriai)	1. eaten by livestock, 2. firewood, 3. construction and fences, 4. against flees and parasites, crush, put in water, wash	BY333; I899; JBH69/51; JB11777; K1905
<i>Desmodium</i>	<i>repandum</i> (Vahl.) DC.	Ladakat (Ladakat orok)	1. eaten by livestock and wild animals, 2. construction	K1918

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Dolichos</i>	<i>Sericeus</i> E. Mey. ssp. <i>sericeus</i>	Lmontoi (Lmontoi, Mentei)	no use	B320
<i>Glycine</i>	<i>wightii</i> (Wight & Arn.) ssp. <i>labialis</i> (A. Rich.) Verdc. var. <i>mearsii</i> (De Wild) Verdc.	unknown	no use	K1917; I905
<i>Indigofera</i>	<i>atriceps</i> Hook. f. ssp. <i>atriceps</i>	Imiim (Imiim)	1. eaten by livestock, 2. toothbrush, 3. cosmetic for blackening lips	K1909
<i>Indigofera</i>	<i>lupatana</i> Baker f.	Lobobo (Lobobo le tabasi)	1. eaten by animals and rarely by livestock	K1912
<i>Indigofera</i>	<i>schimperi</i> Jaub. & Spach. var. <i>schimperi</i>	unknown	no use	G5192
<i>Indigofera</i>	<i>swaziensis</i> Bolus var. <i>swaziensis</i>	unknown	no use	K1910
<i>Indigofera</i>	<i>volkensii</i> Taub.	Dabibi	no use	BY37; G5190A
<i>Kotschya</i>	<i>recurvifolia</i> (Taub.) F. White ssp. <i>keniensis</i> Verdc.	unknown	no use	C0.119
<i>Lablab</i>	<i>purpureus</i> (L.) Sweet ssp. <i>uncinatus</i> Verdc.	unknown	no use	K1922
<i>Lotus</i>	<i>goetzei</i> Harms	unknown	no use	K1911
<i>Mucuna</i>	<i>gigantea</i> (Willd.) DC. ssp. <i>quadrialata</i> (Baker) Verdc.	Larashi	no use	BY298
<i>Ormocarpum</i>	<i>trachycarpum</i> (Taub.) Harms	Lkigeria (Lkegweita, Lkekantei, Lkigeria)	1. eaten by livestock, 2. fences, 3. sticks, 4. fruit edible	K1937
<i>Psoralea</i>	<i>foliosa</i> Oliv.	unknown	no use	A537
<i>Tephrosia</i>	<i>interrupta</i> Engl. ssp. <i>interrupta</i>	Silikai (Silik)	1. eaten by animals and rarely by livestock	A559; B133; G5204; K1908
<i>Teramnus</i>	<i>labialis</i> (L.f.) Spreng. ssp. <i>labialis</i> var. <i>abyssinicus</i> (A. Rich.) Verdc.	unknown	no use	K1920
<i>Trifolium</i>	<i>semipilosum</i> Fresen. var. <i>semipilosum</i>	unknown	no use	B204
<i>Vigna</i>	<i>schimperi</i> Baker	Loiyeti	1. eaten by livestock, 2. root edible	BY34; K1916
<i>Zornia</i>	<i>setosa</i> Baker f. ssp. <i>obovata</i> (Baker f.) J. Leon & Milne-Redh.	Ragai	no use	BY91
FLACOURTIACEAE				
<i>Dovyalis</i>	<i>abyssinica</i> (A. Rich.) Warb.	Limoroo (Lumuroo, Lmoroo)	1. eaten by livestock, 2. fruit eaten, 3. firewood, 4. fences	BY158; K1965

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Trimeria</i>	<i>grandifolia</i> (Burkill) Sleumer ssp. <i>tropica</i>	Ledat (Ledat)	1. malaria, boil plant and drink	B39
GERANIACEAE				
<i>Geranium</i>	<i>aculeolatum</i> Oliv.	Loitenenei	no use	K2038
<i>Geranium</i>	<i>arabicum</i> Forssk.	Loitenenei	no use	B201; BY190A; K2036
<i>Pelargonium</i>	<i>alchemilloides</i> (L.) Ait. f. ssp. <i>multibracteatum</i> (A. Rich.) Kokwaro	Logororeki (Letamesi)	1. eaten by animals and rarely by livestock	B205; BU9757; BY244
<i>Pelargonium</i>	<i>whytei</i> Baker	Logororeki	1. eaten by animals and rarely by livestock	K2037
GUTTIFERAE				
<i>Garcinia</i>	<i>livingstonei</i> T. Anderson	Lgarsoyi (Lgarsoyi)	1. firewood	BY337
<i>Hypericum</i>	<i>kiboense</i> Oliv.	unknown	no use	A558
<i>Hypericum</i>	<i>revolutum</i> Vahl.	Supat	1. firewood	A562; BY191; C0.177; K1932
<i>Hypericum</i>	<i>roeperanum</i> A. Rich.	Supat	1. firewood	K1934
HALORAGACEAE				
<i>Gunnera</i>	<i>perpensa</i> L.	Larau	no use	BU9788; BY230
HYACINTHACEAE				
<i>Albuca</i>	<i>abyssinica</i> Jacq.	Naimarasui	1. eaten by wild animals	BY157
HYPOXIDACEAE				
<i>Hypoxis</i>	<i>kilimanjarica</i> Baker ssp. <i>kilimanjarica</i>	Ilkurotii	1. eaten by animals and rarely by livestock	BU9776; BY90
<i>Hypoxis</i>	<i>obtusa</i> Burch.	Siederi (Naingungnai)	1. eaten by animals and rarely by livestock	BY214
IRIDACEAE				
<i>Aristea</i>	<i>alata</i> Baker	Lara, Suoderi	1. eaten by animals and rarely by livestock	A535; BY79
<i>Gladiolus</i>	<i>goetzei</i> Harms	Bolorio	no use	AR701
<i>Gladiolus</i>	<i>newii</i> Bak.	Bolorio	no use	BY218
JUNCACEAE				
<i>Juncus</i>	<i>oxycarpus</i> Kunth.	Likwashe	no use	BU9760; BY81
LAMIACEAE				
<i>Aeollanthus</i>	<i>repens</i> Oliv	Sakurudumi	no use	BY259
<i>Becium</i>	<i>decumbens</i> (Guerke) A.J. Paton	Loisau	1. eaten by livestock	BY78

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Becium</i>	<i>obovatum</i> (E. Mey. ex Benth.) N.E. Br.var. <i>capitatum</i>	Lorriambiti (Lorriambiti)	no use	AR700; K2094
<i>Leonotis</i>	<i>nepetifolia</i> (L.) R. Br.	Gishieni (Lkiceni, Lcicieni)	1. abortion, soak leaves in water, drink	BY60
<i>Leucas</i>	<i>grandis</i> Guerke	unknown	no use	G5214; K2089
<i>Leucas</i>	<i>urticifolia</i> (Vahl) R. Br. var. <i>annulata</i> Sebald	Lomasigarai (Lolpidipid, Lturle)	1. eaten by livestock	BY283
<i>Ocimum</i>	<i>suave</i> Willd.	Lemuran (Lomunyaani, Lominyani, Leminyaani)	1. eaten by livestock, 2. leaves smoked	BY281; K2002
<i>Plectranthus</i>	<i>barbatus</i> Andr.	Lbolan (Lolan, Lbalan)	1. eaten by livestock, 2. strength, boil with soup	K1992
<i>Plectranthus</i>	<i>edulis</i> (Vatke) Agnew	Lekeldei	1. eaten by livestock, 2. strength, boil with soup	BY233
<i>Plectranthus</i>	<i>grandicalyx</i> E.A. Bruce	Lokuruki	1. eaten by livestock, 2. strength, boil with soup	BY84
<i>Plectranthus</i>	<i>ignirius</i> (Schweinf.) Agnew	Saalai (Saali)	1. eaten by livestock, 2. strength, boil with soup	G5216
<i>Plectranthus</i>	<i>sylvestris</i> Guerke	Laamarat (Saali le ntim)	1. eaten by livestock, 2. strength, boil with soup	BY70
<i>Salvia</i>	<i>nilotica</i> (Juss.) Jacq.)	Lamuran	no use	BY23; K2066
<i>Satureia</i>	<i>abyssinica</i> (Benth.) Briq.	Lekeneia (Lekeneyya)	1. eaten by livestock	AR691; B115; C0.112
<i>Satureia</i>	<i>biflora</i> (D. Don.) Benth.	Lanana (Lekeneyya)	1. eaten by livestock	BY181; C0.109; K2029
<i>Satureia</i>	<i>pseudosimensis</i> Brenan	Naitarakwai	1. eaten by livestock, 2. leaves for tea	BY205
<i>Satureia</i>	sp.	Saina	1. eaten by livestock	BY192
<i>Satureia</i>	sp.	Sunoni	1. eaten by livestock	BY29
<i>Tinnea</i>	<i>aethiopica</i> Kotschy ex Hook. f.	Lmanture (Logildia, Logolkeek, Lokildia)	1. eaten by livestock, 2. firewood	BY326
LINACEAE				
<i>Linum</i>	<i>keniense</i> T.C.E. Fr.	unknown	no use	BU9780
<i>Linum</i>	<i>volkensii</i> Engl.	Mani	no use	A547; BY95

Family/Genus	Species	Indigenous name	Use	Collection #
LOBELIACEAE				
<i>Lobelia</i>	<i>giberroa</i> Hemsl.	Lekeldei	no use	BY236
<i>Lobelia</i>	<i>holstii</i> Engl.	Segeet	1. eaten by livestock, 2. for mattresses	A566; BY207; C0.124; K2085
<i>Monopsis</i>	<i>stellarioides</i> (C. Presl.) Urb. ssp. <i>schimperiana</i> (Urb.) Thulin	Maasai	no use	BY202
LOGANIACEAE				
<i>Nuxia</i>	<i>congesta</i> Fresen.	Lgotoi (Ntapukai, Lmusuncak)	1. eaten by livestock, 2. fruit edible, 3. firewood, 4. fences	B25; BY182
LORANTHACEAE				
<i>Agelanthus</i>	<i>elegantulus</i> (Egl.) Polhill & Wiens	Narodenyai	no use	BU9758
<i>Englerina</i>	<i>woodfordioides</i> (Schweinf.) Balle	Narodenyai	no use	BY40
MALVACEAE				
<i>Abutilon</i>	<i>hirtum</i> (Lam.) Sweet	Sulubei (Sulubei)	1. eaten by livestock, 2. strings for joining sticks, 3. to expel placenta after birth boil root in milk or water	K2008
<i>Abutilon</i>	<i>longicuspe</i> A. Rich.	Sulubei (Sulubei)	1. eaten by livestock, 2. strings for joining sticks, 3. to expel placenta after birth boil root in milk or water	K1986
<i>Abutilon</i>	<i>mauritanum</i> (Jacq.) Sweet	Sulubei (Sulubei)	1. eaten by livestock, 2. strings for joining sticks, 3. to expel placenta after birth boil root in milk/water	K2010, 2013
<i>Hibiscus</i>	<i>fuscus</i> Garcke	Lokimekii (Lokimek lo Idonyo)	1. eaten by animals and rarely by livestock, 2. wounds, burn and put ash on wound, 3. strings to join sticks, 4. ceremonial, make protective strings or burn plant and mark body with ash	BY286

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Hibiscus</i>	<i>ludwigii</i> Eckl. & Zeyh.	Lkimanshoi	1. eaten by animals and rarely by livestock, 2. wounds, burn and put ash on wound, 3. strings to join sticks, 4. ceremonial, make protective strings or burn plant and mark body with ash	B29
<i>Hibiscus</i>	sp.	Lkimanshoi	1. eaten by animals and rarely by livestock, 2. wounds, burn and put ash on wound, 3. strings to join sticks, 4. ceremonial, make protective strings or burn plant and mark body with ash	B130
<i>Hibiscus</i>	<i>vitifolius</i> L.	Lkimanshoi (Nakodonyyo)	1. eaten by animals and rarely by livestock, 2. wounds, burn and put ash on wound, 3. strings to join sticks, 4. ceremonial, make protective strings or burn plant and mark body with ash	K2009
<i>Pavonia</i>	<i>kilimandscharica</i> Guerke	Lurabarara	no use	K2011
<i>Pavonia</i>	<i>patens</i> (Andr.) Chiov.	Lurabarara	no use	BY82
<i>Pavonia</i>	<i>urens</i> Cav.	Sabai	no use	BY97
<i>Sida</i>	<i>rhombifolia</i> L.	Desiriko	1. eaten by animals and rarely by livestock	K2014
<i>Sida</i>	<i>tenuicarpa</i> Vollesen	Desiriko (Lonini)	1. eaten by animals and rarely by livestock	BY167
MELIACEAE				
<i>Turraea</i>	<i>abyssinica</i> A. Rich.	Reteti	1. fruit edible, 2. rungus, 3. firewood	BY280
<i>Turraea</i>	<i>holstii</i> Guercke	Reteti	1. fruit edible, 2. rungus, 3. firewood	BUSR

Family/Genus	Species	Indigenous name	Use	Collection #
MENISPERMACEAE				
<i>Cocculus</i>	<i>pendulus</i> (J.R. Forst. & G. Forst) Diels	unknown	no use	B200
<i>Stephania</i>	<i>abyssinica</i> (Quart.-Dill. & A. Rich.) Walp.	Lokeiet (ILOket, Lagit)	1. eaten by livestock	K2101
MIMOSACEAE				
<i>Acacia</i>	<i>etbaica</i> Schweinf.	Ijakai (Ljawai, Lcakwai)	1. leaves eaten by livestock, 2. stomach problems, boiled bark and drink, 3. firewood, 4. fences and houses	BY308
<i>Acacia</i>	<i>hockii</i> De Wild	Loilailei (Lerai)	1. leaves eaten by livestock, 2. stomach, childbirth, boil root in water and drink, 3. firewood, 4. construction and fences	K1903
<i>Acacia</i>	<i>senegal</i> (L.) Wild	Lkerdeedi (Lnerdedi, Lkerdeedi)	1. leaves eaten by livestock, 2. stomach problems, boil bark and drink, also abortion, 3. firewood, 4. construction and fences	BY357
MONIMIACEAE				
<i>Xymalos</i>	<i>monospora</i> (Harv.) Warb.	Lukukut (Lkukuti)	1. firewood	BY4; C0.129; I902
MORACEAE				
<i>Ficus</i>	<i>scasselatii</i> Pamp. ssp. <i>scasselatii</i>	Reteti (Reteti)	1. firewood, 2. headrests, 3. ceremonial, rain prayer, 4. stomach, crush, boil in water and drink, 4. malaria, boil root, drink, 5. eaten by livestock	BY338
<i>Ficus</i>	<i>vallis-choudae</i> Delile	Lomukash	no use	BY295
MYRSINACEAE				
<i>Maesa</i>	<i>lanceolata</i> Forssk.	unknown	no use	K1952

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Myrsine</i>	<i>africana</i> L.	Seketeti (Seketeti)	1. browsed by livestock, 2. malaria, fever, tuberculosis, boil root and drink, 3. strength, boil plant for soup, 4. stomach problems and tapeworms, boil fruit and drink, 5. wounds, boil fruits and apply, 6. children, boil leaves for dysentery, 7. soak seeds and give livestock as anthelmintic	B22; BY237; C0.12
<i>Rapanea</i>	<i>melanophloeos</i> (L.) Mez.	Lapiruni	1. firewood	BY2
MYRTACEAE				
<i>Syzygium</i>	<i>cordatum</i> Hochst.	Nkilenyei (Nkilenyei, Nkelenyai)	1. strength, boil root or bark in soup	K1944
NYCTAGINACEAE				
<i>Commicarpus</i>	<i>helenae</i> (Roem. & Schult.) Meikle	Loiburubeneiyo (Lpurjapurja, Leucin)	1. eaten by livestock, 2. strength, boil root for tea, 3. malaria, boil crushed root, drink, 4. ear-ache, crush root in cold water, put in ear, 5. wounds, crush and put latex on wound	BY310
OCHNACEAE				
<i>Ochna</i>	<i>insculpta</i> Sleumer	Laichmi (Lemaloni, Lpilikwa, Mondokorit)	1. firewood	BY268
OLEACEAE				
<i>Chionanthus</i>	<i>battiscombei</i> (Hutch.) Stearn	unknown	no use	BUSR
<i>Jasminum</i>	<i>abyssinicum</i> Hochst. ex DC.	Lorosoro (Lmerim)	1. eaten by livestock, 2. bark to join sticks, 3. firewood	BY24
<i>Jasminum</i>	<i>floribundum</i> R. Br. ex Fresen.	Lminkis	1. eaten by livestock, 2. bark to join sticks, 3. firewood	K1978
<i>Jasminum</i>	<i>fluminense</i> Vell. ssp. <i>holstii</i> (Gilg.) Turrill	Lminkis	1. eaten by livestock, 2. bark to join sticks, 3. firewood	B129; K1976

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Olea</i>	<i>capensis</i> L.	Loliodoi (Loliontoi, Lopurkei, Siampar)	1. leaves eaten by livestock, 2. construction and fences, 3. rungs, sticks and spear handles, 4. firewood, 5. stomach, boil bark in tea, 6. anthelmintic, soak bark in water overnight, drink	BY10, 98
<i>Olea</i>	<i>europaea</i> L. ssp. <i>africana</i> (Mill.) P. Green	Tomein, Lgerioi (Lorien, Lnerriyii)	1. leaves eaten by animals, 2. rungs and headrests, 3. construction and fences, 4. firewood, 5. anthelmintic, soak bark overnight and drink	A395; BY88; K1962, 1964
<i>Schrebera</i>	<i>alata</i> (Hochst.) Welw.	Lkarate (Letoto)	1. firewood, 2. malaria, boil bark and drink	BY292
ONAGRACEAE				
<i>Epilobium</i>	<i>hirsutum</i> L.	Losikiria-Njoi	no use	BY316
OPILIACEAE				
<i>Opilia</i>	<i>amentacea</i> Roxb.	Lpuken (Lpukenyi)	1. eaten by livestock, 2. fruit edible, 3. fences, 4. firewood	B136
ORCHIDACEAE				
<i>Aerangis</i>	<i>thomsonii</i> (Rolfe) Schltr.	Lkaajo (Lkaajo)	no use	BY102
<i>Brownleea</i>	<i>parviflora</i> Lindl.	unknown	no use	K2100
<i>Diaphananthe</i>	<i>rohrii</i> (Rchb. f.) Summerh.	unknown	no use	BY131
<i>Eulophia</i>	<i>petersii</i> Rchb. f.	Ldinca (Ldinca, Ldincai, Ldinja)	no use	BY144
<i>Polystachya</i>	<i>confusa</i> Rolfe	Nardeniai (Nardenyai)	no use	BY110, 113, 132, 133
<i>Polystachya</i>	<i>piersii</i> P.J. Cribb.	Nardeniai (Nardenyai)	no use	AR709; BY101
<i>Rangaeris</i>	<i>amaniensis</i> (Kraenzl.) Summerh.	unknown	no use	BY142
OROBANCHACEAE				
<i>Orobanche</i>	<i>minor</i> Sm.	Lorodo	no use	BY31

Family/Genus	Species	Indigenous name	Use	Collection #
OXALIDACEAE				
<i>Oxalis</i>	<i>corniculata</i> L.	Lesermede (Ltapipii-lekera)	1. eaten by animals and rarely by livestock	BY163
PIPERACEAE				
<i>Peperomia</i>	<i>abyssinica</i> Miq.	Gitagisii	no use	BY67
<i>Piper</i>	<i>capense</i> L.	Loisugi, Loiyeti (Lkoniani)	1. eaten by livestock	BY64, 173; K2022
PLUMBAGINACEAE				
<i>Plumbago</i>	<i>dawei</i> Rolfe	Lkiriantus (Lneriantus, Lkiriantus)	1. eaten by livestock, 2. malaria, boil root and drink, 3. stomach, boil and drink	K2061
POACEAE				
<i>Agrostis</i>	<i>schimperana</i> Steud.	Lanana	1. eaten by livestock	BY228
<i>Andropogon</i>	sp.	Loroturoto	1. eaten by livestock	BY153
<i>Brachypodium</i>	<i>flexum</i> Nees	unknown	no use	BUSR
<i>Bromus</i>	<i>leptoclados</i> Nees	unknown	no use	C0.116
<i>Chloris</i>	<i>roxburghiana</i> Schult.	Logorereki (Leluben)	1. eaten by animals and rarely by livestock	BY299
<i>Cynodon</i>	<i>nlemfuensis</i> Vanderyst var. <i>nlemfuensis</i>	Lorotoroto (Lesulluteni)	1. eaten by animals and rarely by livestock	BY284
<i>Digitaria</i>	<i>velutina</i> (Forssk.) P. Beauv.	Lanana	1. eaten by livestock	BY296
<i>Ehrharta</i>	<i>erecta</i> Lam. var. <i>abyssinica</i> (Hochst.) Pilger	Lanana	1. eaten by livestock	BY61; K1930
<i>Eleusine</i>	<i>multiflora</i> A. Rich.	Sertet (Leoliin, Lerean)	1. eaten by livestock	BY166
<i>Enteropogon</i>	<i>macrostachyus</i> K. Schum. ex Engl.	Loisau (Loisau)	1. eaten by livestock, 2. for thatching houses	BY306
<i>Eragrostis</i>	<i>schweinfurthii</i> Chiov.	Nyaput (Lnyaput)	1. eaten by livestock	BY195
<i>Eragrostis</i>	<i>tenuifolia</i> (A. Rich.) Steud.	Gujita (Rumoto)	1. eaten by livestock	BY89
<i>Exothea</i>	<i>abyssinica</i> (A. Rich.) Andersson	Log'urruriki (Lopi sedi)	1. eaten by livestock	BY211
<i>Leptochloa</i>	<i>rupestris</i> C.E. Hubb.	Loikerekerera (Loikirikira)	1. eaten by livestock	BY303
<i>Panicum</i>	<i>deustum</i> Thunb.	Laraa	1. eaten by livestock	BY302
<i>Panicum</i>	<i>hymenochilum</i> Nees	Lanana	1. eaten by livestock	BY229

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Rhynchelytrum</i>	<i>repens</i> (Willd.) C.E. Hubb.	Lanana	1. eaten by animals and rarely by livestock	BY353
<i>Sinarundinaria</i>	<i>alpina</i> (K. Schum.) C.S. Chao & Renvioze	Ltieni (Ltiani)	1. leaves eaten by livestock, 2. for strong containers, 3. ceremonial in circumcision	BY53
<i>Sporobolus</i>	<i>africanus</i> (Poir.) Robyns & Tournay	Gujit	1. eaten by livestock	BY99
<i>Stipa</i>	<i>dregeana</i> Steud. var. <i>elongata</i> (Nees) Stapf.	Lokojitorok	1. eaten by livestock	BY267
PODOCARPACEAE				
<i>Podocarpus</i>	<i>latifolius</i> (Thunb.) Mirb.	Biribiriti, Lpilpiriti	1. firewood, 2. construction	A392; BY96; C0.128
POLYGALACEAE				
<i>Polygala</i>	<i>sphenoptera</i> Fresen.	Segelaite, Tegelet	no use	BY242, 94
POLYGONACEAE				
<i>Polygonum</i>	<i>amphibium</i> L.	unknown	no use	BU9787
<i>Polygonum</i>	<i>setosulum</i> A. Rich.	Labelechi	1. eaten by animals and rarely by livestock	BY227; K2034, 2035
<i>Rumex</i>	<i>bequaertii</i> De Wild.	Lkaramule	1. fruit edible	K2030
<i>Rumex</i>	<i>steudelii</i> A. Rich.	Jipilikwa	1. fruit edible	BY63
POLYPODIACEAE				
<i>Loxogramme</i>	<i>abyssinica</i> (Baker) M.G. Price	Gusumwan	no use	BY46
<i>Pleopeltis</i>	<i>macrocarpa</i> (Bory ex Willd.) Kaulf.	unknown	no use	C0.145
PRIMULACEAE				
<i>Lysimachia</i>	<i>volkensii</i> Engl.	Lokumeki (Lokimeki)	1. eaten by livestock, 2. wounds, burn and apply ash	BY15
PROTEACEAE				
<i>Faurea</i>	<i>saligna</i> Harv.	Ilgilma	1. firewood	BY190B; K1936
<i>Protea</i>	<i>caffra</i> Meisn. ssp. <i>kilimandscharica</i> (Engl.) Chisumpa & Brummitt	unknown	no use	C0.127
PTERIDACEAE				
<i>Pteris</i>	<i>catoptera</i> Kunze	Naigerigero	no use	BY69
<i>Pteris</i>	<i>dentata</i> Forssk.	Naigerigero	no use	B24, 38, 211; C0.143, 0.152
<i>Pteris</i>	<i>quadriaurita</i> Retz	Naigerigero	no use	BU9814

Family/Genus	Species	Indigenous name	Use	Collection #
RANUNCULACEAE				
<i>Clematis</i>	<i>brachiata</i> Thunb.	Lgipilikwa (Longorlei)	no use	BY55
<i>Clematis</i>	<i>simensis</i> Fresen.	unknown	no use	B41; BY320; K2004
<i>Ranunculus</i>	<i>multifidus</i> Forssk.	Laiserieni	no use	BY223; K2032, 2033
<i>Thalictrum</i>	<i>rhynchocarpum</i> Quart.-Dill. & A. Rich.	Mosai	no use	BY27
RHAMNACEAE				
<i>Rhamnus</i>	<i>prinooides</i> L'Herit	Lkinyil (Lkinyil)	1. malaria, fever, boil and drink, 2. snakebite, boil fruit and leaves, drink and put on bite	BY32; K1971
<i>Rhamnus</i>	<i>staddo</i> A. Rich.	Lkukulai (Lkukulai)	1. polio, gonorrhoea, malaria, colds, boil for soup, drink	K1946
<i>Scutia</i>	<i>myrtina</i> (Burm. f.) Kuntz	Dorokoch (Sanankurrui, Sanankurri)	1. eaten by livestock, 2. fruit edible, 3. roots boiled for soup, 4. firewood	BY174
<i>Ziziphus</i>	<i>mucronata</i> Willd. ssp. <i>mucronata</i>	Lukukut (Lkukuti)	1. firewood	I898; K1940
RHIZOPHORACEAE				
<i>Cassipourea</i>	<i>malosana</i> (Baker) Alston	Mborolaite (Iburlai)	1. leaves eaten by sheep and goats, 2. for containers	BY11
ROSACEAE				
<i>Alchemilla</i>	<i>cryptantha</i> A. Rich.	Mosai	no use	BY33
<i>Prunus</i>	<i>africana</i> (Hook. f.) Kalkm.	Malan, Lgilima (Lmalaan, Maralal)	1. leaves eaten by livestock, 2. malaria, boil bark for soup, 3. strength, boil bark for soup, 4. firewood	A390
<i>Rubus</i>	<i>adolphi-friedericii</i> Engl.	Lkaramule	1. fruit edible	K1983
<i>Rubus</i>	<i>apetalus</i> Poir.	Lkaramule	1. fruit edible	BY7; K1984
RUBIACEAE				
<i>Anthospermum</i>	<i>usambarense</i> K. Schum.	unknown	no use	K1999
<i>Galiniera</i>	<i>saxifraga</i> (Hochst.) Bridson	Lkukute	1. firewood, 2. construction and fences	BY47
<i>Galium</i>	<i>aparinooides</i> Forssk.	Nterepenya	no use	BY39
<i>Pavetta</i>	<i>abyssinica</i> Fresen. var. <i>abyssinica</i>	Borolaiti (Lmartomi)	1. firewood	BY272
<i>Pavetta</i>	<i>gardeniifolia</i> A. Rich. var. <i>gardeniifolia</i>	Lekurruk (Lmartomi, Lekurruki)	1. firewood	C0.121

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Pentas</i>	<i>lanceolata</i> (Forssk.) Deflers	Lobereti	1. eaten by animals and rarely by livestock, 2. toothbrush, 3. firewood, 4. strings to join sticks	BY271
<i>Pentas</i>	<i>parvifolia</i> Hiern	Lokurupani	1. eaten by animals and rarely by livestock, 2. toothbrush, 3. firewood, 4. strings to join sticks	BY304; G5213; K2031
<i>Psychotria</i>	<i>kirkii</i> Hiern var <i>tambassica</i> (Bremek.) Verdc.	Lukurog'i (Lekurruki)	1. eaten by livestock, 2. malaria, boil for soup, 3. construction and fences, 4. firewood, 5. young branches for arrows	BY241; G5197; K1966, 1967, 1968
<i>Psychotria</i>	<i>orophila</i> Petit	Luisugi	1. eaten by livestock, 2. malaria, boil for soup, 3. construction and fences, 4. firewood, 5. young branches for arrows	BY14, K1953
<i>Psydrax</i>	<i>schimperiana</i> (A. Rich.) Bridson ssp. <i>schimperiana</i>	Lomasei	1. firewood	BY315
<i>Rhytigynia</i>	<i>uhligii</i> (K. Schum. & K. Krause) Verdc.	Borolaite	1. leaves eaten by sheep and goats, 2. for containers	BY277
<i>Tarenna</i>	<i>graveolens</i> (S. Moore) Bremek. var. <i>graveolens</i>	Lmasei (Lekuriki, Lmasei)	1. eaten by livestock, 2. fruit edible, 3. fences, 4. rungs and sticks, 5. firewood	K1955; G5190
<i>Vangueria</i>	<i>apiculata</i> K. Schum.	Lkoromosei	1. eaten by animals and rarely by livestock, 2. fruit edible, 3. fences	G5215
<i>Vangueria</i>	<i>madagascariensis</i> J.F. Gmel.	Rugumi	1. eaten by animals and rarely by livestock, 2. fruit edible, 3. fences	BY301, 246; K1954
<i>Vangueria</i>	<i>volkensii</i> K. Schum. var. <i>volkensii</i>	Lugoromusoi	1. eaten by animals and rarely by livestock, 2. fruit edible, 3. fences	BY275, 328
RUTACEAE				
<i>Clausena</i>	<i>anisata</i> (Willd.) Benth.	Lorokigei (Lkoromosyo, Lkoromosyei)	1. toothbrush	A396; BY5; K1993

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Teclea</i>	<i>nobilis</i> Delile	Lgelai (Lgilai, Lkilai, Lnilai)	1. eaten by livestock, 2. construction and fences, 3. toothbrush, 4. rungus, 5. firewood, 6. malaria, boil bark and drink, 7. strength, boil leaves for soup	BY42, 172; K1957
<i>Teclea</i>	<i>simplicifolia</i> (Engl.) Verdc.	Lgelai (Lgilai, Lkilai, Lnilai)	1. eaten by livestock, 2. construction and fences, 3. toothbrush, 4. rungus, 5. firewood, 6. malaria, boil bark and drink, 7. strength, boil leaves for soup	K1980
<i>Vepris</i>	<i>samburuensis</i> Kokwaro	Kampariti	1. liver problems boil bark and drink	BY313
SALVADORACEAE				
<i>Salvadora</i>	<i>persica</i> L. var. <i>persica</i>	Sokotei (Syokotei, Sokotei)	1. eaten by livestock, 2. fruit edible, 3. malaria, fever, boil root, drink, 4. stomach, boil root, drink, 5. chest problems, boil root, drink, 5. toothbrush, 6. cattle, boil root in water and give to expel placenta	B212
SANTALACEAE				
<i>Osyridicarpos</i>	<i>schimperianus</i> A. DC.	Lokii	1. malaria, boil roots and drink, 2. swollen breasts, soak in water, drink	BY297, 351
<i>Osyris</i>	<i>abyssinica</i> (Hochst.) A. Rich.	Lolesyai (Losesyai)	1. eaten by livestock, 2. pregnancy, burn and sit in smoke, 3. strength, boil bark for soup, 4. hold smoke close to swollen udder in cows	K2016
<i>Osyris</i>	<i>lanceolata</i> Hochst. & Steud.	Lobuokich	1. eaten by livestock, 2. pregnancy, burn and sit in smoke, 3. strength, boil bark for soup, 4. hold smoke to swollen udder in cows	BY185

Family/Genus	Species	Indigenous name	Use	Collection #
SAPINDACEAE				
<i>Allophylus</i>	<i>abyssinicus</i> Hochst. & Radkl.	Kukute (Masanabat)	1. eaten by livestock, 2. firewood, 3. construction and fences	BY12
<i>Allophylus</i>	<i>griseo-tomentosus</i> Gilg.	Lmasanapat (Masanabat)	1. eaten by livestock, 2. firewood, 3. construction and fences	K1951
<i>Cardiospermum</i>	<i>halicacabum</i> L.	Ltugumi (Ltigomi, Ltikom)	1. snakebites, soak root in water, drink, 2. malaria, crush root, boil and drink, 3. polio, drink boiled root and wash body, 4. firewood, 5. fences, 6. eaten by livestock	BY311
<i>Dodonaea</i>	<i>viscosa</i> (L.) Jacq.	Lketurai (Lketurai)	1. toothbrush, 2. eaten by livestock, 3. firewood, 4. construction and fences	K1981
SAPOTACEAE				
<i>Manilkara</i>	<i>mochisia</i> (Baker) Dubard	unknown	no use	ATG17563; K1947
<i>Mimusops</i>	<i>kummel</i> A. DC.	unknown	no use	BY330, 349
SCHIZEACEAE				
<i>Mohria</i>	<i>vestita</i> Baker	Lkowadi	no use	BY254
SCROPHULARIACEAE				
<i>Bartsia</i>	<i>longiflora</i> Hochst. ex Benth.	unknown	no use	A546
<i>Cycnium</i>	<i>tenuisectum</i> (Standl.) O.J. Hansen	Lorotoroto	no use	BY208
<i>Halleria</i>	<i>lucida</i> L.	Ntemelete	1. firewood	A536; BY86; K1975
<i>Hebenstretia</i>	<i>angolensis</i> Rolfe	Naitagiteg (Letimi)	1. eaten by animals and rarely by livestock	BY162; K2020
<i>Misopates</i>	<i>orontium</i> (L.) Raf.	unknown	no use	AR692
<i>Selago</i>	<i>thomsonii</i> Rolfe	Songoroi, Lokuri-Nyanto	no use	A553; BY186, 364
<i>Verbascum</i>	<i>brevipedicellatum</i> (Engl.) Hub.-Mor.	Peresi, Ntigei	1. eaten by livestock	A560; BY30, 161
<i>Veronica</i>	<i>anagallis-aquatica</i> L.	Sagumai	1. eaten by livestock	BY235
SELAGINELLACEAE				
<i>Selaginella</i>	<i>dregei</i> (C. Presl.) Hieron.	unknown	no use	Alexander11859

Family/Genus	Species	Indigenous name	Use	Collection #
SIMAROUBACEAE				
<i>Brucea</i>	<i>antidysenterica</i> Lam.	Lorubat (Sonkoroi)	1. eaten by goats and sheep, 2. firewood, 3. arrowpoison, 4. malaria, boil bark and drink	B37; BY16
SOLANACEAE				
<i>Solanum</i>	<i>aculeatissimum</i> Jacq.	Ntulelei	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	BY65; K1987
<i>Solanum</i>	<i>benderianum</i> Engl.	Ntulelei	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	K2000
<i>Solanum</i>	<i>incanum</i> L	Ntulelei (Ltulelei)	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	BUSR; BY13, 266; K1988
<i>Solanum</i>	<i>indicum</i> L. ssp. <i>adoense</i> (Hochst.) Bitter	Ntulelei (Ltulelei)	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	K1989
<i>Solanum</i>	<i>indicum</i> L. ssp. <i>grandifrons</i> Bitter	Ontulelei (Ltulelei)	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	BY75
<i>Solanum</i>	<i>nigrum</i> L.	Nyanya (Lmomo)	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	B134, BY221
<i>Solanum</i>	<i>renschii</i> Vatke	Ntulelei (Nakuele)	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	BY305
<i>Solanum</i>	<i>schumannianum</i> Dammer	Ntulele	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	BUSR
<i>Solanum</i>	<i>terminale</i> Forssk.	Ntulele	1. fever, boil root, drink, 2. throat, boil root, gargle, 3. wounds, put juice on wound	BY28

Family/Genus	Species	Indigenous name	Use	Collection #
STERCULIACEAE				
<i>Dombeya</i>	<i>goetzenii</i> K. Schum.	Lporokwai (Lporokwai)	1. eaten by animals and rarely by livestock, 2. firewood, 3. spears and sticks, 4. bark for strings, 5. bees	K1941
<i>Dombeya</i>	<i>rotundifolia</i> Planch.	Lawoo (Lawwo)	1. eaten by animals and rarely by livestock, 2. firewood, 3. spears and sticks, 4. bark for strings, 5. bees	G5199
THEPYPTERIDACEAE				
<i>Amauropelta</i>	<i>bergiana</i> (Schldtl.) Holttum	Naigerigero	no use	BU19799
<i>Amauropelta</i>	<i>oppositiformis</i> (C.Chr.) Holttum	Naigerigero	no use	BY22
<i>Stegnogramma</i>	<i>pozoi</i> (Lag.) K. Iwats.	Naigerigero	no use	BU9791, 9792; BY48
THYMAELEACEAE				
<i>Gnidia</i>	<i>glauca</i> (Fresen.) Gilg.	Dagaboraa	1. arrow poison, boil bark, put on arrow	BY165; C0.122; K2005
<i>Struthiola</i>	<i>thomsonii</i> Oliv.	Loisau	1. eaten by livestock	A545; AR706; BY203
TILIACEAE				
<i>Sparrmannia</i>	<i>ricinocarpa</i> (Eckl. & Zeyh.) Kuntze	unknown	no use	K2015
URTICACEAE				
<i>Droguetia</i>	<i>iners</i> (Forssk.) Schweinf.	Sabai	no use	BUSR
<i>Girardinia</i>	<i>diversifolia</i> (Link.) Friis	Sabai	no use	BY282
<i>Laportea</i>	<i>alatipes</i> Hook. f.	Sabai	no use	BY3
<i>Parietaria</i>	<i>debilis</i> G. Forst.	Lesiriko	1. eaten by animals and rarely by livestock	BY43
<i>Urera</i>	<i>hypselodendron</i> (A. Rich.) Wedd.	Lelkelden	no use	BY100
VERBENACEAE				
<i>Clerodendrum</i>	<i>johnstonii</i> Oliv.	unknown	no use	K1960

Family/Genus	Species	Indigenous name	Use	Collection #
<i>Clerodendrum</i>	<i>myricoides</i> (Hochst.) Vatke	Lumakutukuti (Lmakutukuti)	1. eaten by animals and rarely by livestock, 2. malaria, cold, polio, gonorrhea, boil root and drink, 3. strength, crush root and boil in soup, 4. bone pain, crush root in cold water, drink, 5. pneumonia, boil root in milk, drink, 6. firewood	BY322; G5200
VIOLACEAE				
<i>Viola</i>	<i>abyssinica</i> Oliv.	Mosai	no use	BY54; K2102
VISCACEAE				
<i>Viscum</i>	<i>triflorum</i> DC.	Narudenyai	1. fruits edible	BY290
<i>Viscum</i>	<i>tuberculatum</i> A. Rich.	Narudenyai (Lmekarokeon)	1. fruits edible	BU9749
VITACEAE				
<i>Cyphostemma</i>	<i>bambuseti</i> (Gilg & Brandt) Wild. & R.B. Drumm.	Lorodo (Lordo)	1. fruit and leaves eaten, 2. bone pain, boil leaves and eat, 3. tuberculosis, boil leaves, eat	BY285
<i>Cyphostemma</i>	<i>kilimandscharicum</i> (Gilg.) Wild. & R.B. Drumm.	Lorodo (Lordo)	1. fruit and leaves eaten, 2. bone pain, boil leaves and eat, 3. tuberculosis, boil leaves, eat	BY49
<i>Rhoicissus</i>	<i>revoilii</i> Planch.	Guilenyai (Loribii)	no use	BY293
WOODSIACEAE				
<i>Cystopteris</i>	<i>diaphanum</i> (Bory) Blasdell	Naigerigero	no use	BY25; C0.15
<i>Cystopteris</i>	<i>fragilis</i> (L.) Bernh.	Naigerigero	no use	BU9795
INDET				
indet.		Loruki	no use	BY198
indet.			no use	BY321
indet.			no use	BY331
indet.			no use	BY332
indet.			no use	BY335
indet.			no use	BY347

Family/Genus	Species	Indigenous name	Use	Collection #
indet.			no use	BY348
indet.			no use	BY352
indet.			no use	BY354